



**EDWARDSBURGH CARDINAL**

Phone: 613-658-3055  
Fax: 613-658-3445  
Toll Free: 866-848-9099  
E-mail: mail@twpec.ca

P.O. Box 129,  
18 Centre St.  
Spencerville, Ontario  
K0E 1X0

**APPLICATION FOR SWIMMING POOL PERMIT**

*(please check which applies)*

**In Ground**    **Above Ground**    **Enclosed**

Owner Name:	Phone:
Home Address:	
Email address: <i>(for delivery of permit, optional)</i>	
Contractor:	Phone:
Depth & Diameter of Pool:	
Setback distance from property lines: REAR YARD:	SIDE YARD:
Estimated Cost for Pool:	
<b>PERMIT FEE : \$95.00</b>	

I am the owner/authorized agent named in the above application and I certify the truth of all statements or representations contained herein. I understand that the issuance of a permit shall not be deemed a waiver of any of the provisions of By-law 2012-05 or any other applicable laws or regulations, notwithstanding anything included in or omitted from the plans or material filed in support of or in connection with the above application. I acknowledge that in the event a permit is issued, any departure from the plans, specifications or pool and fence locations proposed in the above application is prohibited and such could result in the permit being revoked. I further acknowledge that in the event that a permit is revoked for any cause or irregularity or non-conformity with By-laws or regulations, there shall be no right of claim whatsoever against the municipality or any official thereof and any such claim is hereby expressly waived.

DATE: \_\_\_\_\_ SIGNATURE: \_\_\_\_\_

**Office Use Only**

**Legal Description:** \_\_\_\_\_

**Roll #:** \_\_\_\_\_

**SWIMMING POOL SITE PLAN**

Required Information: House Location, Proposed Pool Location, Proposed Fence Location, Property Lines, and Setbacks.

Assume North is top of diagram

## SECTION 31 – ENCLOSURE OF PRIVATE OUTDOOR SWIMMING POOLS

- 31.1 For the purposes of section 31 of this by-law, a permit shall be obtained prior to the installation of an enclosure for a private outdoor swimming pool.
- 31.1.1 A site plan drawing indicating the location and design of any proposed private outdoor swimming pool shall be submitted for approval prior to the issuance of a permit.
- 31.2 Every swimming pool shall be totally enclosed by a fence not less than 1.2 metres and not more than 1.8 metres high, and shall have a gate equipped with a self closing device and be capable of being latched from the inside when in the closed position.
- 31.3 Any above ground pool that exceeds 1.2 metres of clear height around the pool is exempt of the requirement to be totally enclosed by a fence, except for the area where the ladder or other means of access for the pool are normally located. Such area shall be enclosed with a fence according to section 31.2 above.
- 31.4 All entrances to the swimming pool area which form part of the enclosure, including windows, doors and gates, shall be kept latched at all times except when a responsible person is supervising the pool area.
- 31.5 No part of the enclosure or entrances to any buildings shall be located closer than 1.2 metres to the pool.
- 31.6 All gates leading into the pool area shall be kept locked at all times when not in use.
- 31.7 All fences required by this section of the bylaw shall be constructed and maintained in accordance with the following provisions:
- 31.7.1 If of Chain Link Construction
- (a) be of no greater than 3.81 cm (1-1/2 inch) mesh;
  - (b) be constructed of galvanized wire not less than No. 12 gauge diameter, or of minimum No. 14 gauge steel wire covered with vinyl or other approved coating forming a total thickness equivalent to No. 12 gauge galvanized wire;
  - (c) be supported by a rigid metal bar at the top and a stiffener for the bottom of the fencing; and
  - (d) be supported on substantial steel posts not more than 3.05 meters (10 feet) apart.
- 31.7.2 If of Vertical Board or Metal Picket Construction
- (a) be of not less than 2.54 x 7.62 cm (1 inch x 3 inch) (nominal) vertical wooden boards or metal pickets, spaced not more than 3.81 cm (1-1/2 inch) apart, when such boards or pickets are placed on the same side of the fence;
  - (b) be of not less than 2.54 x 7.62 cm (1 inch x 3 inch) (nominal) vertical boards or metal pickets placed alternately on either side of the fence spaced not more than the width of such vertical boards apart and attached to horizontal supports spaced vertically at a distance of not more than 106.68 cm (42 inches) on center;
  - (c) be supported on substantial posts placed not more than 2.44 meters (8 feet) apart and installed in accordance with good construction practice.

31.7.3 If of Chain Link Construction with Wooden Framework

- (a) be of no greater than 3.81 cm (1-1/2 inch) mesh;
- (b) be constructed of galvanized wire not less than No. 12 gauge diameter, or of minimum No. 14 gauge steel wire covered with vinyl or other approved coating forming a total thickness equivalent to No. 12 gauge galvanized wire;
- (c) be supported on substantial wood posts not less than 10.16 cm (4 inches) square or 12.70 cm (5 inches) in diameter placed not more than 2.44 meters (8 feet) apart; and
- (d) be supported by a horizontal stringer at the top and at the bottom, each being not less than 5.08 x 10.16 cm (2 inch x 4 inch) (nominal) lumber.

31.8 Notwithstanding the above construction requirements, there shall be no horizontal member located on the exterior of the fence that would encourage or allow climbing of the fence.