

Phone: 613-658-3055 Fax: 613-658-3445 Toll Free: 866-848-9099 E-mail: mail@twpec.ca P.O. Box 129, 18 Centre St. Spencerville, Ontario KOE 1X0

Requirements to obtain a building permit for a GARAGE, SHED (Over 160 sq.ft.), DECK, and INTERIOR OR EXTERIOR

RENOVATIONS & ADDITIONS

- 1. Completed application form. (Boxes A, B, C, D & E if applicable F and I)
- 2. Sufficient drawings, specifications and documents as deemed necessary to determine compliance with the Ontario Building Code and other applicable laws. Chief Building Official to determine what drawings are necessary. Single line drawings will not be accepted.
- 3. Supply engineered drawings where required.
- 4. Site plan drawing depicting lot lines, location of buildings, building setback measurements, set back to well and septic system.
- 5. Proposed grading plan.
- 6. Energy Efficiency Design Summary (for additions only).
- 7. If extensive renovations or additions, a review of the septic system may be required. Contact South Nation Conservation Authority at 613-984-2948.
- 8. Payment of all applicable fees.

9. <u>Please note that depending on soil conditions a report from a gualified</u> geotechnical engineer may be required prior to any building taking place.

Any questions regarding building or zoning matters can be directed to the Chief Building Official at 613-658-3055 X102 or cbo@twpec.ca

		For use by P	rincipal Authority		
Application number:			Permit number(if diffe	rent):	
Date received:			Roll number:		
Application submitted to: T			CGH/CARDINAL	conservation authority)	
A. Project information					
Building number, street nan	ne			Unit number	Lot/con
Municipality		Postal code	Plan numbe	/other description	I
Project value est. \$			Area of work	(m ²)	
B. Purpose of applicati	on				
□Newconstruction	ewconstruction		Demolition	□Conditiona Permit	
Proposed use of building		Currer	nt use of building		
Description ofproposedwork	x				
C. Applicant	Applicant is: D	wner or		agent of owner	
Last name		First name		or partnership	
Street address				Unit number	Lot/con.
Municipality		Postal code	Province	E-mail	I
Telephone number ()		Fax ()	L	Cell number ()	
D. Owner (if different fr	om applicant)				
Last name		First name	Corporation	or partnership	
Street address				Unit number	Lot/con.

)

Fax

(

Telephone number

)

(

(

Cell number

)

E. Builder (optional)					
Last name	First name	Corporation or partners	hip (if ap	oplicable)	
Street address			Unit nı	umber	Lot/con.
Municipality	Postal code	Province	E-mail		
Telephone number ()	Fax ()		Cell nu (umber)	
F. Tarion Warranty Corporation (Ontario	New Home Warranty	/ Program)			
 Is proposed construction for a new home Plan Act? If no, go to sectionG. 				□Yes	□No
ii. Is registration required under the Ontaric	NewHome Warranties P	lan Act?		□Yes	□No
iii. If yes to (ii)provide registration number(s	s):				
G. Required Schedules					
i) Attach Schedule 1 for each individualwho revi	ewsand takes responsib	ility for design activities.			
ii) Attach Schedule 2where application is to cons	struct on-site, install or re-	pair a sewage system.			
H. Completeness and compliancewith ap	plicable law				
 This application meets all the requirements o Building Code (the application is made in the applicable fields have been completed on the schedules are submitted). 	correct form and by the o	owner or authorized agen		□Yes	□No
Payment has been made of all fees that are r regulation made under clause 7(1) (c) of the application is made.			r	□Yes	□No
ii) This application is accompanied by the plans and specifications prescribed by the applicable by-law, resolution or regulation made under clause 7(1)(b) of the <i>Building Code Act</i> , 1992.					
iii) This application is accompanied by the inform law, resolution or regulation made under clau the chief building official to determine whethe contravene any applicable law.	se 7(1)(b) of the Building	Code Act, 1992 which er	nable	□Yes	□No
iv) The proposed building, construction or demo	ition will not contravene a	any applicable law.		□Yes	□No
I. Declaration of applicant					
				dec	lare that:
(print name)				uec	
 The information contained in this applic documentation is true to the best of my If the owner is a corporation or partners 	knowledge.				er attached

Date

Signatureofapplicant

Personal information contained in this form and schedules is collected under the authority of subsection 8(1.1) of the *Building Code Act, 1992*, and will be used in the administration and enforcement of the *Building Code Act, 1992*. Questions about the collection of personal information may be addressed to: a) the Chief Building Official of the municipality or upper-tier municipality to which this application is being made, or, b) the inspector having the powers and duties of a chief building official in relation to sewage systems or plumbing for an upper-tier municipality, board of health or conservation authority to whom this application is made, or, c) Director, Building and Development Branch, Ministry of Municipal Affairs and Housing 777 Bay St., 2nd Floor. Toronto, M5G 2E5 (416) 585-6666.

BUILDING PERMIT SITE PLAN

Show the following information on the drawing: * IN IMPERIAL MEASUREMENTS * - House location

- -
- Accessory building location Proposed addition/deck/accessory building location Setbacks from property lines for proposed construction

ONLY REQUIRED FOR ADDITIONS

Schedule 1: Designer Information

e on e form for each individual who reviews and takes responsibility for design activities with respect to the project.

A. Project Information				
Building number, streetname			Unit no.	Lot/con.
Municipality	Postal code	Plan number/ other descript	tion	
B. Individualwhoreviewsandtakes rea	sponsibilityfo			
Name		Firm		
Street address			Unit no.	Lot/con.
Municipality	Postal code	Province	E-mail	
Telephone number ()	Fax number ()		Cell number ()	
C. Design activities undertaken byine Division C]	dividual ident	ifiedin Section B.[Buildin	g Code Table 3.	5.2.1.of
□House □Small Buildings □Large Buildings □Complex Buildings Description of designer's work	□HVAC – H □Building S □Detection, □Fire Protec	ervices Lighting and Power	□Building Struct □Plumbing – Ho □Plumbing – All □On-site Sewag	use Buildings
D. Declaration of Designer				
I		de	clare that (choose o	one asappropriate):
(print name □ I review and take responsibility fo C, of the Building Code. I am o Individual BCIN: Firm BCIN: □I reviewand take responsibility fo under subsection 3.2.5.of Divi Individual BCIN: Basis for exemption from □The design work is exempt from t	or the design wo qualified, and the r the design and sion C, of the Bu registration:	e firm is registered, in the app	te category as an "	tegories. other designer"
Basis for exemption from I certify that: 1. The information contained in this s 2. I have submitted this application w	registration and schedule istrue t	qualification: o the best of my knowledge.		
Date		SignatureofDesigner		
NOTE:				

1. For the purposes of this form, "individual" means the "person" referred to in Clause 3.2.4.7(1) (c). of Division C, Article 3.2.5.1. of Division C, and all other persons who are exempt from qualification under Subsections 3.2.4. and 3.2.5. of Division C.

 Schedule 1 is not required to be completed by a holder of a license, temporary license, or a certificate of practice, issued by the Ontario Association of Architects. Schedule1 is also not required to be completed by a holder of a license to practise, a limited license to practise, or a certificate of authorization, issued by the Association of Professional Engineers of Ontario.

Energy Efficiency Design Summary:

Performance & Other Acceptable Compliance Methods

(Building Code Part 9, Residential)

This form is used by a designer to demonstrate that the energy efficiency design of a house complies with the building code using the Performance or Other Acceptable Compliance Methods described in Subsections 3.1.2. and 3.1.3. of SB-12,

This form must accurately reflect the information contained on the drawings and specifications being submitted. Refer to Supplementary Standard SB-12 for details about building code compliance requirements. Further information about energy efficiency requirements for new buildings is available from the provincial building code website or the municipal building department.

For use by Principal Authority					
Application No:	Model/Certification Number				

A. Project Information

Building number, street name			Unit number	Lot/Con
Municipality	Postal code	Reg. Plan number / other description	on	

B. Compliance Option [indicate the building code compliance option being employed in this house design]

SB-12 Performance* [SB-12 - 3.1.2.]	* Attach energy performance results using an approved software (see guide)
ENERGY STAR®* [SB-12 - 3.1.3.]	* Attach Builder Option Package [BOP] form
□ <i>R-2000</i> ® *[SB-12 - 3.1.3.]	* Attach R-2000 HOT2000 Report

C. Project Building Design Conditions

Climatic Zone (SB-1):	Heating Equipment Efficiency	Space Heating I	Fuel Source			
□ Zone 1 (< 5000 degree days)	□ ≥ 92% AFUE	□ Gas	Propane	Solid Fuel		
□ Zone 2 (≥ 5000 degree days)	□ ≥ 84% < 92% AFUE	□ Oil	Electric	Earth Energy		
Ratio of Windows, Skylights & Glass	(W, S & G) to Wall Area	Other Building	Characteristics			
		Log/Post&Bear	m 🛛 ICF Above Gra	ade 🛛 ICF Basement		
Area of walls = $m^2 \text{ or} _{ft^2}$		Slab-on-ground Walkout Basement				
	W, S & G % =	Air Conditioning Combo Unit				
		Air Source Heal	at Pump (ASHP)			
Area of W, S & G =m ² orft ²		Ground Source	e Heat Pump (GSHP	P)		
SB-12 Performance Reference Building Design Package indicating the prescriptive package to be compared for compliance						
SB-12 Referenced Building Package	e (input design package): Pacl	kage:	Table:			

D. Building Specifications [provide values and ratings of the energy efficiency components proposed, or attach ENERGY STAR BOP form

Building Component	Minimum RSI / R values Building Com one or Maximum U-Value ⁽¹⁾		Building Com onent	Efficiency Ratings	
Thermal Insulation Nominal Effective			Windows & Doors Provide U-Value ⁽¹⁾ or ER rating		
Ceiling with Attic Space			Windows/Sliding Glass Doors		
Ceiling without Attic Space			Skylights/Glazed Roofs		
Exposed Floor			Mechanicals		
Walls Above Grade			Heating Equip.(AFUE)		
Basement Walls			HRV Efficiency (SRE% at 0°C)		
Slab (all >600mm below grade)			DHW Heater (EF)		
Slab (edge only ≤600mm below grade)			DWHR (CSA B55.1 (min. 42% efficiency))	# Showers	
Slab (all ≤600mm below grade, or heated)			Combined Space / Dom. Water Heating		

(1) U value to be provided in either W/(m²•K) or Btu/(h•ft²•F) but not both.

ONLY REQUIRED FOR ADDITIONS

F. ENERGY STAR or R-2000 Performance Design Verification [Subsection 3.1.3. Other Acceptable Compliance Methods]

□ The NRCan "ENERGY STAR for New Homes Standard Version 12.6" technical requirements, applied to this building design result in the building performance meeting or exceeding the prescriptive performance requirements of the Supplementary Standard SB12 (A-3.1.3.1).

The NRCan, "2012 R-2000 Standard " technical requirements, applied to this building design result in the building performance meeting or exceeding the prescriptive performance requirements of the Supplementary Standard SB12 (A-3.1.3.1).

Energy Evaluator/Advisor/Rater/CEM Name and company:

ENERGY STAR or R-2000

Energy Evaluator/Advisor/Rater/ Name and company:

Performance Energy Modeling Professional

Evaluator/Advisor/Rater License #

Accreditation or Evaluator/Advisor/Rater License #

G. Designer(s) [name(s) & BCIN(s), if applicable, of person(s) providing information herein to substantiate that design meets the building code]

Qualified Designer: Declaration of designer to have reviewed and take responsibility for the design work.					
Name	BCIN	Signature			

Form authorized by OHBA, OBOA, LMCBO. Revised December 1, 2016

Guide to the Energy Efficiency Design Summary Form for Performance & Other Acceptable Compliance Methods

COMPLETING THE FORM

B. Compliance Options

Indicate the compliance option being used.

- <u>SB-12 Performance</u> refers to the method of compliance in Subsection 3.1.2. of SB-12. Using this approach the designer must use recognized energy simulation software (such as HOT2000 V10.51 or newer), and submit documents which show that the annual energy use of the proposed building is equal to or less than a prescriptive (referenced) building package.
- <u>ENERGY STAR</u> houses must be designed to ENERGY STAR requirements and verified on completion by a licensed energy evaluator and/or service organization. The ENERGY STAR BOP form must be submitted with the permit

documents.

• *R-2000* houses must be designed to the *R-2000 Standard* and verified on completion by a licensed energy evaluator and/or service organization. The HOT2000 report must be submitted with the permit documents.

C. Project Design Conditions

Climatic Zone: The number of degree days for Ontario cities is contained in Supplementary Standard SB-1 *Windows, Skylights and Glass Doors:* If the ratio of the total gross area of windows, sidelights, skylights, glazing in doors and sliding glass doors to the total gross area of walls is more than 17%, higher efficiency glazing is required. The total area is the sum of all the structural rough openings. Some exceptions apply. Refer to 3.1.1.1. of SB-12 for further details.

Fuel Source and Heating Equipment Efficiency: The fuel source and efficiency of the proposed heating equipment must be specified in order to determine which <u>SB-12 Prescriptive</u> compliance package table applies. *Other Building Conditions:* These construction conditions affect <u>SB-12 Prescriptive</u> compliance requirements.

D. Building Specifications

Thermal Insulation: Indicate the RSI or R-value being proposed where they apply to the house design. Refer to SB-12 for further details.

E. Performance Design Summary

A summary of the performance design applicable only to the <u>SB-12 Performance</u> option.

F. ENERGY STAR or R-2000 Performance Method

Design to ENERGY STAR or R-2000 Standards.

G. House Designer

The building code requires designers providing information about whether a building complies with the building code to have a BCIN. Exemptions apply to architects, engineers and owners designing their own house.

BUILDING CODE REQUIREMENTS FOR AIRTIGHTNESS IN NEW HOUSES

All houses must comply with increased air barrier requirements in the building code. Notice of air barrier completion must be provided and an inspection conducted prior to it being covered.

The air leakage rates in Table 3.1.2.1. are not requirements. The Table is not intended to require or suggest that the building meet those airtightness targets. They are provided only as default or reference values for the purpose of annual energy simulations, should the builder/owner decide to perform such simulations. They are given in three different metrics; ACH, NLA, NLR. Any one of them can be used. They can be used as a default values for both a reference and proposed building or, where an air leakage test is conducted and credit for airtightness is claimed, the airtightness values in Table 3.1.2.1. can be used for the reference building and the actual leakage rates obtained from the air leakage test can be used as inputs for the proposed building.

OBC Reference Default Air Leakage Rates (Table 3.1.2.1.)

Detached dwelling	3.0 ACH50	NLA 2.12 cm ² /m ²	NLR 1.32 L/s/m ²
Attached dwelling	3.5 ACH50	NLA 2.27 cm ² /m ²	NLR 1.44 L/s/m ²

The building code requires that a blower door test be conducted to verify the air tightness of the house during construction if the <u>SB-12 Performance</u> option is used and an air tightness of less than 3.0 ACH @ 50 Pa (or NLA or NLR equivalent) in the case of detached houses, or 3.5 ACH @ 50 Pa (or NLA or NLR equivalent) in the case of attached houses is necessary to meet the required energy efficiency standard.

ENERGY EFFICIENCY LABELING FOR NEW HOUSES

ENERGY STAR and R-2000 may issue labels for new homes constructed under their energy efficiency programs. The building code does not currently regulate or require new home labeling.